1989 INDEX

Title Index

Alternative Method for SDOF Modal Analysis, An — D.J. Ewins and A.F. Vakakis, 144-149 (Oct.).

Application of Modal-parameter Estimation Using Frequency-domain Algorithms, On the — P. Ebersbach and H. Irretier, 109-116 (Oct.).

Application of the Narmax Method to Nonlinear Frequency-response Estimation —S.A. Billings, K.M. Tsang and G.R. Tomlinson, 97-102 (July).

Comparison Between Model-optimization Procedures Based on the Model-optimization Parameter Set, A — T. Janter, W. Heylen and P. Sas, 93-96 (July).

Comparison of Some Time-domain-system Identification Techniques Using Approximate Data Correlations — J.E. Cooper, 51-57 (Apr.).

Component Synthesis Method Using Lanczos Vectors, A — J.J. Allen, 33-38 (Apr.).

Correction of a Finite-element Model by Input/Output Measurements with Application to a Radar Tower — C. Hoff and H.G. Natke, 1-7 (Jan.).

Detection of Sudden Changes of Modal Parameters in Machinery — M.R. Kujath, 131-137 (Oct.).

Determining Damping Mechanisms in a Composite Beam by Experimental Modal Analysis — H.H. Cudney and D.J. Inman, 138-143 (Oct.).

Dynamic Stiffness and Nonconservative Modal Analysis — A.Y.T. Leung, 77-82 (July).

Experimental Strain Modal Analysis by Space-time Regression Method in the Time Domain — T.-X. Song, P.Q. Zhang, W.Q. Feng and T.C. Huang, 15-18 (Jan.).

Experimental Techniques for Modeling Nonlinear Stiffness and Damping Characteristics — R. Stanway and J.E. Mottershead, 89-92 (July).

Flexural Waves in Beams with Periodic but Piecewise Constant Impedance — S.Y. Lee and M.J. Kao, 124-130 (Oct.).

Ill-conditioned Nature of Indirect Force-measurement Techniques, On the — J.M. Starkey and G.L. Merrill, 103-108 (July).

Localization of Model Errors in Optimized Mass and Stiffness Matrices Using Modal-test Data — J.C. O'Callahan and C.-M. Chou, 8-14 (Jan.).

Modal Strain/Stress Fields — O. Bernasconi and D.J. Ewins, 68-76 (Apr.).

Nonlinear Structural Dynamics of Space Manipulators with Elastic Joints — H.S. Tzou, 117-123 (Oct.).

On-line Extraction of Offshore Tower Vibration Parameters from Response Measurements — K.A.F. Moustafa, 83-88 (July).

Prediction of Mass Modification for Desired Natural Frequencies — Q. Zhang, W. Wang, R.J. Allemang and D.L. Brown, 39-44 (Apr.).

Reflection of Interior Sound Fields in Flexible Cylinders by Active Vibration Control — J.D. Jones and C.R. Fuller, 45-50 (Apr.).

Structural-dynamics Identification in the Time Domain: Estimation of Modal Parameters Based on Forced Vibrations — U. Fullekrug, 58-67 (Apr.).

Vibration and Chatter Analysis of an NC Lathe — J.M. Lee, S.Y. Lee and H. Lee, 19-24 (Jan.).

Why Be Modal, i.e., How to Avoid the Use of Modes in the Modification of Vibrating Systems — A. Sestieri and W. D'Ambrogio, 25-30 (Jan.).

Author Index

Allemang, R.J. — Prediction of Mass Modification for Desired Natural Frequencies, 39-44 (Apr.).

Allen, J.J. — A Component Synthesis Method Using Lanczos Vectors, 33-38 (Apr.).

Bernasconi, O. — Modal Strain/Stress Fields, 68-76 (Apr.).

Billings, S.A. — Application of the Narmax Method to Nonlinear Frequency-response Estimation, 97-102 (July).

Brown, D.L. — Prediction of Mass Modification for Desired Natural Frequencies, 39-44 (Apr.).

Chou, C.-M. — Localization of Model Errors in Optimized Mass and Stiffness Matrices Using Modal-test Data, 8-14 (Jan.).

Cooper, J.E. — Comparison of Some Time-domain-system Identification Techniques Using Approximate Data Correlations, 51-57 (Apr.).

Cudney, H.H. — Determining Damping Mechanisms in a Composite Beam by Experimental Modal Analysis, 138-143 (Oct.).

D'Ambrogio, W. — Why Be Modal, i.e., How to Avoid the Use of Modes in the Modification of Vibrating Systems, 25-30 (Jan.).

Ebersbach, P. — On the Application of Modal-parameter Estimation Using Frequency-domain Algorithms, 109-116 (Oct.).

Ewins, D.J. — Modal Strain/Stress Fields, 68-76 (Apr.).
An Alternative Method for SDOF Modal Analysis, 144-149 (Oct.).

Feng, W.Q. — Experimental Strain Modal Analysis by Space-time Regression Method in the Time Domain, 15-18 (Jan.).

Fullekrug, U. — Structural-dynamics Identification in the Time Domain: Estimation of Modal Parameters Based on Forced Vibrations, 58-67 (Apr.).

Fuller, C.R. — Reflection of Interior Sound Fields in Flexible Cylinders by Active Vibration Control, 45-50 (Apr.).

Heylen, W. — A Comparison Between Model-optimization Procedures Based on the Model-optimization Parameter Set, 93-96 (July).

Hoff, C. — Correction of a Finite-element Model by Input/Output Measurements with Application to a Radar Tower, 1-7 (Jan.).

Huang, T.C. — Experimental Strain Modal Analysis by Space-time Regression Method in the Time Domain, 15-18 (Jan.).

Inman, D.J. — Determining Damping Mechanisms in a Composite Beam by Experimental Modal Analysis, 138-143 (Oct.).

Irretier, H. — On the Application of Modal-parameter Estimation Using Frequency-domain Algorithms, 109-116 (Oct.).

Janter, T. — A Comparison Between Model-optimization Procedures Based on the Model-optimization Parameter Set, 93-96 (July).

Jones, J.D. — Reflection of Interior Sound Fields in Flexible Cylinders by Active Vibration Control, 45-50 (Apr.).

Kao, M.J. — Flexural Waves in Beams with Periodic but Piecewise Constant Impedance, 124-130 (Oct.).

Kujath, M.R. — Detection of Sudden Changes of Modal Parameters in Machinery, 131-137 (Oct.).

Lee, H. — Vibration and Chatter Analysis of an NC Lathe, 19-24 (Jan.).

1989 INDEX

Title Index

Alternative Method for SDOF Modal Analysis, An — D.J. Ewins and A.F. Vakakis, 144-149 (Oct.).

Application of Modal-parameter Estimation Using Frequency-domain Algorithms, On the — P. Ebersbach and H. Irretier, 109-116 (Oct.).

Application of the Narmax Method to Nonlinear Frequency-response Estimation —S.A. Billings, K.M. Tsang and G.R. Tomlinson, 97-102 (July).

Comparison Between Model-optimization Procedures Based on the Model-optimization Parameter Set, A — T. Janter, W. Heylen and P. Sas, 93-96 (July).

Comparison of Some Time-domain-system Identification Techniques Using Approximate Data Correlations — J.E. Cooper, 51-57 (Apr.).

Component Synthesis Method Using Lanczos Vectors, A — J.J. Allen, 33-38 (Apr.).

Correction of a Finite-element Model by Input/Output Measurements with Application to a Radar Tower — C. Hoff and H.G. Natke, 1-7 (Jan.).

Detection of Sudden Changes of Modal Parameters in Machinery — M.R. Kujath, 131-137 (Oct.).

Determining Damping Mechanisms in a Composite Beam by Experimental Modal Analysis — H.H. Cudney and D.J. Inman, 138-143 (Oct.).

Dynamic Stiffness and Nonconservative Modal Analysis — A.Y.T. Leung, 77-82 (July).

Experimental Strain Modal Analysis by Space-time Regression Method in the Time Domain — T.-X. Song, P.Q. Zhang, W.Q. Feng and T.C. Huang, 15-18 (Jan.).

Experimental Techniques for Modeling Nonlinear Stiffness and Damping Characteristics — R. Stanway and J.E. Mottershead, 89-92 (July).

Flexural Waves in Beams with Periodic but Piecewise Constant Impedance — S.Y. Lee and M.J. Kao, 124-130 (Oct.).

Ill-conditioned Nature of Indirect Force-measurement Techniques, On the — J.M. Starkey and G.L. Merrill, 103-108 (July).

Localization of Model Errors in Optimized Mass and Stiffness Matrices Using Modal-test Data — J.C. O'Callahan and C.-M. Chou, 8-14 (Jan.).

Modal Strain/Stress Fields — O. Bernasconi and D.J. Ewins, 68-76 (Apr.).

Nonlinear Structural Dynamics of Space Manipulators with Elastic Joints — H.S. Tzou, 117-123 (Oct.).

On-line Extraction of Offshore Tower Vibration Parameters from Response Measurements — K.A.F. Moustafa, 83-88 (July).

Prediction of Mass Modification for Desired Natural Frequencies — Q. Zhang, W. Wang, R.J. Allemang and D.L. Brown, 39-44 (Apr.).

Reflection of Interior Sound Fields in Flexible Cylinders by Active Vibration Control — J.D. Jones and C.R. Fuller, 45-50 (Apr.).

Structural-dynamics Identification in the Time Domain: Estimation of Modal Parameters Based on Forced Vibrations — U. Fullekrug, 58-67 (Apr.).

Vibration and Chatter Analysis of an NC Lathe — J.M. Lee, S.Y. Lee and H. Lee, 19-24 (Jan.).

Why Be Modal, i.e., How to Avoid the Use of Modes in the Modification of Vibrating Systems — A. Sestieri and W. D'Ambrogio, 25-30 (Jan.).

Author Index

Allemang, R.J. — Prediction of Mass Modification for Desired Natural Frequencies, 39-44 (Apr.).

Allen, J.J. — A Component Synthesis Method Using Lanczos Vectors, 33-38 (Apr.).

Bernasconi, O. — Modal Strain/Stress Fields, 68-76 (Apr.).

Billings, S.A. — Application of the Narmax Method to Nonlinear Frequency-response Estimation, 97-102 (July).

Brown, D.L. — Prediction of Mass Modification for Desired Natural Frequencies, 39-44 (Apr.).

Chou, C.-M. — Localization of Model Errors in Optimized Mass and Stiffness Matrices Using Modal-test Data, 8-14 (Jan.).

Cooper, J.E. — Comparison of Some Time-domain-system Identification Techniques Using Approximate Data Correlations, 51-57 (Apr.).

Cudney, H.H. — Determining Damping Mechanisms in a Composite Beam by Experimental Modal Analysis, 138-143 (Oct.).

D'Ambrogio, W. — Why Be Modal, i.e., How to Avoid the Use of Modes in the Modification of Vibrating Systems, 25-30 (Jan.).

Ebersbach, P. — On the Application of Modal-parameter Estimation Using Frequency-domain Algorithms, 109-116 (Oct.).

Ewins, D.J. — Modal Strain/Stress Fields, 68-76 (Apr.).
An Alternative Method for SDOF Modal Analysis, 144-149 (Oct.).

Feng, W.Q. — Experimental Strain Modal Analysis by Space-time Regression Method in the Time Domain, 15-18 (Jan.).

Fullekrug, U. — Structural-dynamics Identification in the Time Domain: Estimation of Modal Parameters Based on Forced Vibrations, 58-67 (Apr.).

Fuller, C.R. — Reflection of Interior Sound Fields in Flexible Cylinders by Active Vibration Control, 45-50 (Apr.).

Heylen, W. — A Comparison Between Model-optimization Procedures Based on the Model-optimization Parameter Set, 93-96 (July).

Hoff, C. — Correction of a Finite-element Model by Input/Output Measurements with Application to a Radar Tower, 1-7 (Jan.).

Huang, T.C. — Experimental Strain Modal Analysis by Space-time Regression Method in the Time Domain, 15-18 (Jan.).

Inman, D.J. — Determining Damping Mechanisms in a Composite Beam by Experimental Modal Analysis, 138-143 (Oct.).

Irretier, H. — On the Application of Modal-parameter Estimation Using Frequency-domain Algorithms, 109-116 (Oct.).

Janter, T. — A Comparison Between Model-optimization Procedures Based on the Model-optimization Parameter Set, 93-96 (July).

Jones, J.D. — Reflection of Interior Sound Fields in Flexible Cylinders by Active Vibration Control, 45-50 (Apr.).

Kao, M.J. — Flexural Waves in Beams with Periodic but Piecewise Constant Impedance, 124-130 (Oct.).

Kujath, M.R. — Detection of Sudden Changes of Modal Parameters in Machinery, 131-137 (Oct.).

Lee, H. — Vibration and Chatter Analysis of an NC Lathe, 19-24 (Jan.).

Lee, J.M. — Vibration and Chatter Analysis of an NC Lathe, 19-24 (Jan.).

Lee, S.Y. — Vibration and Chatter Analysis of an NC Lathe, 19-24 (Jan.).
Flexural Waves in Beams with Periodic but Piecewise Constant Impedance, 124-130 (Oct.).

Leung, A.Y.T. — Dynamic Stiffness and Nonconservative Modal Analysis, 77-82 (July).

Merrill, G.L. — On the Ill-conditioned Nature of Indirect Force-measurement Techniques, 103-108 (July).

Mottershead, J.E. — Experimental Techniques for Modeling Nonlinear Stiffness and Damping Characteristics, 89-92 (July).

Moustafa, K.A.F. — On-line Extraction of Offshore Tower Vibration Parameters from Response Measurements, 83-88 (July).

Natke, H.G. — Correction of a Finite-element Model by Input/Output Measurements with Application to a Radar Tower, 1-7 (Jan.).

O'Callahan, J.C. — Localization of Model Errors in Optimized Mass and Stiffness Matrices Using Modal-test Data, 8-14 (Jan.).

Sas, P. — A Comparison Between Model-optimization Procedures Based on the Model-optimization Parameter Set, 93-96 (July).

Sestieri, A. — Why Be Modal, i.e., How to Avoid the Use of Modes in the Modification of Vibrating Systems, 25-30 (Jan.).

Song, T.-X. — Experimental Strain Modal Analysis by Space-time Regression Method in the Time Domain, 15-18 (Jan.).

Stanway, R. — Experimental Techniques for Modeling Nonlinear Stiffness and Damping Characteristics, 89-92 (July).

Starkey, J.M. — On the Ill-conditioned Nature of Indirect Force-measurement Techniques, 103-108 (July).

Tomlinson, G.R. — Application of the Narmax Method to Nonlinear Frequency-response Estimation, 97-102 (July).

Tsang, K.M. — Application of the Narmax Method to Nonlinear Frequency-response Estimation, 97-102 (July).

Tzou, H.S. — Nonlinear Structural Dynamics of Space Manipulators with Elastic Joints, 117-123 (Oct.).

Vakakis, A.F. — An Alternative Method for SDOF Modal Analysis, 144-149 (Oct.).

Wang, W. — Prediction of Mass Modification for Desired Natural Frequencies, 39-44 (Apr.).

Zhang, P.Q. — Experimental Strain Modal Analysis by Space-time Regression Method in the Time Domain, 15-18 (Jan.).

Zhang, Q. — Prediction of Mass Modification for Desired Natural Frequencies, 39-44 (Apr.)